HARBOR BRANCH OCEANOGRAPHIC INSTITUTION
LIBRARY

PHYTOCHEMISTRY

CHEMISTRY BIOCHEMISTRY MOLECULAR BIOLOGY

Regional Editors

UK, Africa, The Commonwealth & Rest of the World
G. P. BOLWELL

The Americas & East Asia
N. G. LEWIS

Continental Europe & Russia
D. STRACK

Volume 51 Contents, Author Index and
Subject Index 1999

PERGAMON

PHYTOCHEMISTRY
Chemistry Biochemistry Molecular Biology

Regional Editor for: U.K., Africa, The Commonwealth & Rest of the World
G. P. BOLWELL: School of Biological Sciences, Royal Holloway, University of London, Egham, Surrey TW20 0EX, U.K.

Regional Editor for: The Americas & East Asia
N. G. LEWIS: Institute of Biological Chemistry, Washington State University, Pullman, WA 99164-6340, U.S.A.

Regional Editor for: Continental Europe & Russia
D. STRACK: Institut für Pflanzenbiochemie, Abt. Sekundarstoffwechsel, Weinberg 3, D-06120 Halle (Saale), Germany.

Honorary Editor: J. B. HARBORNE F.R.S.

EDITORIAL BOARD—2000

Y. Asakawa:	Tokushima, Japan.	K. Hostettmann:	Dorigny-Lausanne, Switzerland.
E. A. Bell:	London, U.K.	T. J. Mabry:	Austin, U.S.A.
E. E. Conn:	Davis, U.S.A.	B. V. Milborrow:	Kensington, Australia.
G. Cordell:	Chicago, U.S.A.	T. Okuda:	Okayama City, Japan.
R. Croteau:	Pullman, U.S.A.	J. D. Phillipson:	London, U.K.
V. De Luca:	Montreal, Canada.	J. E. Poulton:	Iowa City, U.S.A.
N. H. Fischer:	Mississippi, U.S.A.	U. Sankawa:	Toyama, Japan.
L. Fowden:	Harpenden, U.K.	G. H. N. Towers:	Vancouver, B.C., Canada.
O. R. Gottlieb:	Rio de Janeiro, Brazil.	H. Wagner:	München, Germany.
J. L. Harwood:	Cardiff, U.K.	P. G. Waterman:	Lismore, Australia.
W. Herz:	Tallahassee, U.S.A.	M. H. Zenk:	München, Germany.

All manuscripts and contributions should be submitted to either G. P. BOLWELL at Surrey, N. G. LEWIS at Pullman or D. STRACK at Halle. Authors are earnestly requested to consult the latest 'Instructions to Authors' (copies of these instructions are available from the internet) and the 'Aims and Scope' of the journal (see inside back cover). Review articles are welcome, but intending Authors should send an outline to the Regional Editor before preparing their manuscripts. Books for review should be sent to G. P. BOLWELL.

This journal has been designated an official organ of the 'The Phytochemical Society of Europe' and 'The Phytochemical Society of North America' and Society announcements will appear at regular intervals. Reduced subscription rates are available to members of both Societies (details available from Society offices).

Publishing and Advertising Offices: Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K.

Annual Subscription Information: Published bi-monthly, two issues per month, January to December (three volumes 2000).

Annual Institutional Subscription Rates 2000: Europe, The CIS and Japan 6313.00 Dutch Guilders. All other countries US$3205.00. Associated Personal Subscription rates are available on request for those whose institutions are library subscribers. Dutch Guilder prices exclude VAT. Non-VAT registered customers in the European Community will be charged the appropriate VAT in addition to the price listed. Prices include postage and insurance and are subject to change without notice.

Any enquiry relating to subscriptions should be sent to: **The Americas:** Elsevier Science, Customer Support Department, P.O. Box 945, New York, NY, 10010, U.S.A. [Tel: (+1) 212-633-3730/1-888 4ES-INFO. Fax: (+1) 212-633-3680. E-mail: usinfo-f@elsevier.com]. **Japan:** Elsevier Science K. K., Customer Support Department, 9-15 Higashi-Azabu 1-chome, Minato-ku, Tokyo 106-0044, Japan [Tel: (+3) 5561-5033. Fax: (+3) 5561-5047. E-mail: info@elsevier.co.jp]. **Asia Pacific (*excluding Japan*)**: Elsevier Science (Singapore) Pte Ltd, No. 1 Temasek Avenue, 17-01 Millennia Tower, Singapore 039192. [Tel: (+65) 434-3727. Fax: (+65) 337-2230. E-mail: asiainfo@elsevier.com.sg]. **Rest of the World:** Elsevier Science, Customer Service Department, P.O. Box 211, 1001 AE Amsterdam, The Netherlands. [Tel: (+31) 20-485-3757. Fax: (+31) 20-485-3432. E-mail: nlinfo-f@elsevier.nl]. *Microform back issues*: back issues of all previously published volumes in both hard copy and on microform, are available direct from Elsevier Science Offices (Oxford, New York).

For queries relating to the general submission of articles (including electronic text and artwork) and the status of accepted manuscripts, please contact the Author Service Department at Elsevier Science Ltd. E-mail: authors@elsevier.co.uk; Fax: +44 (0) 1865 843905; Tel.: +44 (0) 1865 843900.

© 2000 Elsevier Science Ltd

Periodicals postage is paid at Rahway, NJ. *Phytochemistry* (ISSN 0031-9422) is published (bi-monthly, two issues per month, January to December in three volumes) by Elsevier Science Ltd., The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, UK. The US subscription price is $3205 per year.
POSTMASTER: Send address corrections to: *Phytochemistry*, Elsevier Science, Customer Support Department, PO Box 945, New York, NY 10159-0945.
Distributed in the USA by Mercury Airfreight International, 365 Blair Road, Avenel, NJ 07001.

CONTENTS OF VOLUME 51

Number 1

Graphical Abstracts vii

Growth and Metabolism

Cytochrome c_6 isolated from the marine diatom *Thalassiosira weissflogii* 1 L. A. INDA, D. L. ERDNER, M. L. PELEATO and D. M. ANDERSON

Glycosidic alkaloids from *Lupinus varius* 5 O. B. ABDEL-HALIM, A. A. EL-GAMMAL, H. ABDEL-FATTAH and K. TAKEYA

Dolichols of rubber plant, ginkgo and pine 11 S. TATEYAMA, R. WITITSUWANNAKUL, D. WITITSUWANNAKUL, H. SAGAMI and K. OGURA

Polymer mobility in cell walls of cucumber hypocotyls 17 K. M. FENWICK, D. C. APPERLEY, D. J. COSGROVE and M. C. JARVIS

Amelioration by glucose-6-phosphate and NADP of potato glycoalkaloid inhibition in cell, enzyme and liposome assays 23 J. G. RODDICK and A. L. LEONARD

Ecological Biochemistry

Antifungal constituents from roots of *Virola surinamensis* 29 N. P. LOPES, M. J. KATO and M. YOSHIDA

Effect of caffeine on shot-hole borer beetle (*Xyleborus fornicatus*) of tea (*Camellia sinensis*) 35 P. HEWAVITHARANAGE, S. KARUNARATNE and N. S. KUMAR

Biosynthesis

Regulation of initiation and polymer molecular weight of *cis*-1,4-polyisoprene synthesized in vitro by particles isolated from *Parthenium argentatum* (Gray) 43 J. CASTILLÓN and K. CORNISH

Cell Culture and Biotechnology

Production of carboxyatractyloside and atractyloside by cell suspension cultures of *Altractylis gummifera* 53 T. KEPHALAS, F. ALIKARIDIS, K. PANTELIA and D. PAPADAKIS

Robustaquinones, novel anthraquinones from an elicited *Cinchona robusta* suspension culture 55 J. SCHRIPSEMA, A. RAMOS-VALDIVIA and R. VERPOORTE

Inhibitor studies of tabersonine metabolism in *C. roseus* hairy roots 61 J. A. MORGAN and J. V. SHANKS

Highly branched C_{25} isoprenoids in axenic cultures of *Haslea ostrearia* 69 E. J. WRAIGE, L. JOHNS, S. T. BELT, G. MASSÉ, J.-M. ROBERT and S. ROWLAND

Plant Chemistry

Modhephene derivatives from *Pluchea sericea* 75 B. REYES-TREJO and P. JOSEPH-NATHAN

Sesquiterpene lactones from *Stevia alpina* var. *glutinosa* 79 Z. N. J. DE HERNÁNDEZ, C. A. N. CATALÁN, L. R. HERNÁNDEZ, D. GUERRA-RAMÍREZ and P. JOSEPH-NATHAN

Diterpenes from the marine mangrove *Bruguiera gymnorhiza* 83 C. SUBRAHMANYAM, B. V. RAO, R. S. WARD, M. B. HURSTHOUSE and D. E. HIBBS

Rosmarinic acid derivatives from *Salvia officinalis* 91 Y. LU and L. Y. FOO

Coumarleucasin and leucasone from *Leucas inflata* roots 95 M. H. AL YOUSUF, A. K. BASHIR, G. BLUNDEN, M.-H. YANG and A. V. PATEL

A dicoumarin glycoside from *Daphne oleoides* 99 N. ULLAH, S. AHMED and A. MALIK

Coumarinolignoid glycoside from *Daphne oleoides* 103 N. ULLAH, S. AHMED, P. MUHAMMAD, Z. AHMED, H. R. NAWAZ and A. MALIK

Lignans and coumarins metabolites from *Melicope hayesii* 107 J. LATIP, T. G. HARTLEY and P. G. WATERMAN

A chromene acid from *Calophyllum cardato-oblongum* 111 H. R. W. DHARMARATNE, D. S. C. PERERA, G. P. K. MARASINGHE and J. JAMIE

0031-9422/00/$ - see front matter © 2000 Elsevier Science Ltd. All rights reserved.
PII: S0031-9422(00)00072-8

Gossypidien, a lignan from stems of *Jatropha gossypifollia* 115 B. Das and G. Anjani

Prenylated flavonoids and a dihydro-4-phenylcoumarin from *Dorstenia poinsettifolia* 119 B. T. Ngadjui, G. W. F. Kapche, H. T. Tamboue, B. M. Abegaz and J. D. Connolly

New features of intramolecular copigmentation by acylated anthocyanins 125 P. Figueiredo, F. George, F. Tatsuzawa, K. Toki, N. Saito and R. Brouillard

Phenolics and flavonoids from *Haematoxylon camprechianum* 133 F. E. Kandil, H. N. Michael, M. S. Ishak and T. J. Mabry

Seasonal variation in bromophenol content and bromoperoxidase activity in *Ulva lactuca* 135 C. Flodin, F. Helidoniotis and F. B. Whitfield

Flavonoid galloyl glucosides from the pods of *Acacia farnesiana* 139 H. H. Barakat, A. M. Souleman, S. A. M. Hussein, O. A. Ibrahiem and M. A. M. Nawwar

A cationic peroxidase from leaves of *Vitis pseudoreticulata* 143 X.-R. Liao, X.-C. Zhu and P.-C. He

Isoflavone glycosides from flowers of *Pueraria thunbergiana* 147 H.-J. Park, J.-H. Park, J.-K. Moon, K.-T. Lee, W.-T. Jung, S.-R. Oh and H.-K. Lee

(−)-Phalarine, a furano*bis*indole alkaloid from *Phalaris coerulescens* 153 N. Anderton, P. A. Cockrum, S. M. Colegate, J. A. Edgar, K. Flower, D. Gardner and R. I. Willing

Alkaloids from *Kopsia dasyrachis* 159 T.-S. Kam, G. Subramaniam and W. Chen

Crotonadiol, a labdane diterpenoid from the stem bark or *Croton zambesicus* 171 B. T. Ngadjui, G. G. Folefoc, F. Keumedjio, E. Dongo, B. L. Sondengam and J. D. Connolly

Number 2

Graphical Abstracts vii

Growth and Metabolism

Aerobic oxidation of indole-3-acetic acid catalysed by anionic and cationic peanut peroxidase 175 I. G. Gazaryan, T. A. Chubar, E. A. Mareeva, L. M. Lagrimini, R. B. van Huystee and R. N. F. Thorneley

12-Oxo-phytodienoic acid and indole-3-acetic acid in jasmonic acid-treated tendrils of *Bryonia dioica* 187 B. A. Stelmach, A. Müller and E. W. Weiler

Interactions of a plant peroxidase with oligogalacturonides in the presence of calcium ions 193 C. Penel, P. van Cutsem and H. Greppin

Structural characterization of the *N*-linked oligosaccharides from tomato fruit 199 R. Zeleny, F. Altmann and W. Praznik

Ecological Biochemistry

Floral volatiles of the sweet pea *Lathyrus odoratus* 211 A. E. A. Porter, D. W. Griffiths, G. W. Robertson and R. Sexton

Components from the phytotoxic extract of *Alternaria brassicicola*, a black spot pathogen of canola 215 S. L. MacKinnon, P. Keifer and W. A. Ayer

Biosynthesis

Analysis of metabolic pathways via quantitative prediction of isotope labeling patterns: a retrobiosynthetic ^{13}C NMR study on the monoterpene loganin 223 D. Eichinger, A. Bacher, M. H. Zenk and W. Eisenreich

Monitoring brassinosteroid biosynthetic enzymes by fluorescent tagging and HPLC analysis of their substrates and products 237 J. Winter, B. Schneider, S. Meyenburg, D. Strack and G. Adam

Identification of *Thuja occidentalis* lignans and its biosynthetic relationship 243 S. Kawai, K. Sugishita and H. Ohashi

4-Hydroxybenzoic acid: a likely precursor of 2,4,6-tribromophenol in *Ulva lactuca* 249 C. Flodin and F. B. Whitfield

Cell Culture and Biotechnology

Microbial metabolism of artemisitene 257 K. Y. Orabi, A. M. Galal, A.-R. S. Ibrahim, F. S. El-Feraly, S. I. Khalifa and H. N. El-Sohly

Isochorismate synthase isoforms from elicited cell cultures of *Rubia tinctorum* 263 L. J. P. VAN TEGELEN, R. J. M. BONGAERTS, A. F. CROES, R. VERPOORTE and G. J. WULLEMS

Chemotaxonomy

4-Oxonicotinamide-1-(1′-β-d-ribofuranoside) from *Rothmannia longiflora* Salisb. (Rubiaceae) 271 G. BRINGMANN, M. OCHSE, K. WOLF, J. KRAUS, K. PETERS, E.-M. PETERS, M. HERDERICH, L. A. ASSI and F. S. K. TAYMAN

Two aromadendrane type alcohols from the liverwort *Conocephalum conicum* 277 S. MELCHING, U. WARMERS, W. A. KÖNIG and H. MUHLE

A 7-nordumortenone and other dumortane derivatives from the Argentine liverwort *Dumortiera hirsuta* 281 A. BARDÓN, N. KAMIYA, M. TOYOTA and Y. ASAKAWA

Bioactive Plant Products

Tumor promoting diterpenes from *Euphorbia leuconeura* L. 289 G. VOGG, E. MATTES, J. ROTHENBURGER, N. HERTKORN, S. ACHATZ and H. SANDERMANN Jr.

A-type proanthocyanidins from peanut skins 297 H. LOU, Y. YAMAZAKI, T. SASAKI, M. UCHIDA, H. TANAKA and S. OKA

Plant Chemistry

Triterpenoid saponins from the ground part of *Aster ageratoides* var. *ovatus* 309 K. SAKAI, T. NAGAO and H. OKABE

Ferulic acid esters from *Plumeria bicolor* 319 M. P. DOBHAL, A. M. HASAN, M. C. SHARMA and B. C. JOSHI

Phlomisethanoside, a phenylethanoid glycoside from *Phlomis grandiflora* var. *grandiflora* 323 Y. TAKEDA, M. KINUGAWA, T. MASUDA, G. HONDA, H. OTSUKA, E. SEZIK and E. YESILADA

Two novel Amaryllidaceae alkaloids from *Hippeastrum equestre* Herb.: 3-*O*-demethyltazettine and egonine 327 L. H. PHAM, E. GRÜNDEMANN, J. WAGNER, M. BARTOSZEK and W. DÖPKE

Alkaloids from *Delphinium fangshanense* 333 S. ZHANG, G. ZHAO and G. LIN

Diterpenoid and norditerpenoid alkaloids from *Delphinium carduchorum* 337 A. H. MERIÇLI, F. MERIÇLI, E. DOĞRU, H. ÖZÇELIK, ATTA-UR-RAHMAN and A. ULUBELEN

Number 3

Graphical Abstracts vii

Growth and Metabolism

Influence of ethylene on cytokinin metabolism in relation to *Petunia* corolla senescence 341 E. TAVERNER, D. S. LETHAM, J. WANG, E. CORNISH and D. A. WILLCOCKS

Purification and partial characterization of an ATP-hydrolyzing serine protease from lettuce leaves 349 A. R. LO PIERO and G. PETRONE

Uptake of phloem-specific cardenolides by *Cuscuta* sp. growing on *Digitalis lanata* and *Digitalis purpurea* 357 K. ROTHE, B. DIETTRICH, B. RAHFELD and M. LUCKNER

Color reaction of hydrolyzable tannins with Bradford reagent, Coomassie brilliant blue 363 W. J. KILKOWSKI and G. G. GROSS

Ecological Biochemistry

An insecticidal rocaglamide derivatives and related compounds from *Aglaia odorata* (Meliaceae) 367 B. W. NUGROHO, R. A. EDRADA, V. WRAY, L. WITTE, G. BRINGMANN, M. GEHLING and P. PROKSCH

Oviposition stimulants for the cabbage root fly: isolation from cabbage leaves 377 J. HURTER, T. RAMP, B. PATRIAN, E. STÄDLER, P. ROESSINGH, R. BAUR, R. DE JONG, J. K. NIELSEN, T. WINKLER, W. J. RICHTER, D. MÜLLER and B. ERNST

Biosynthesis

Differentiation between de novo synthesized and constitutively released terpenoids from *Fagus sylvatica* 383 J. KAHL, T. HOFFMANN and D. KLOCKOW

Cell Culture and Biotechnology

Biotransformation of cubenene to 7-hydroxycalamenene in cultured cells of the liverwort, *Heteroscyphus planus* 389 M. HASHIMOTO, R. HOZUMI, M. YAMAMOTO and K. NABETA

Chemotaxonomy

Novel structures in galactoglucomannans of the lichens *Cladonia substellata* and *Cladonia ibitipocae*: significance as chemotypes — 395 S. M. Woranovicz, B. M. Pinto, P. A. J. Gorin and M. Iacomini

Quercetagetin 7-methyl ether glycosides from *Paepalanthus vellozioides* and *Paepalanthus latipes* — 403 W. Vilegas, C. J. Nehme, A. L. Dokkeddal, S. Piacente, L. Rastrelli and C. Pizza

Acyl glucosylated flavonols from *Paepalanthus* species — 411 F. D. P. de Andrade, L. C. dos Santos, A. L. Dokkedal and W. Vilegas

Bioactive Plant Constituents

The flavonoids of *Tanacetum parthenium* and *T. vulgare* and their anti-inflammatory properties — 417 C. A. Williams, J. B. Harborne, H. Geiger and J. R. S. Hoult

Plant Chemistry

N^5-(4-Methoxyphenyl)methyl-l-glutamine in xylem sap from squash root — 425 Y. Inouye, T. Wakahoi and S. Satoh

Aromin-A, an annonaceous acetogenin from *Annona cherimola* — 429 C.-Y. Chen, F.-R. Chang, H.-F. Chiu, M.-J. Wu and Y.-C. Wu

A drimane sesquiterpenoid lactone from *Warburgia salutaris* — 435 M. J. Mashimbye, M. C. Maumela and S. E. Drewes

Steroids and a tetracyclic diterpene from *Euphorbia boetica* — 439 M.-J. U. Ferreira and J. R. Ascenso

A lupane triterpenoid from *Maerua oblongifolia* — 445 M. Abdel-Mogib

Cycloartane-type glycosides from *Aquilegia flabellata* — 449 H. Yoshimitsu, M. Nishida, F. Hashimoto and T. Nohara

A steroidal glycoside from *Lepisorus ussuriensis* — 453 Y. H. Choi, J. Kim and Y.-H. Choi

Obtusifoliol and related steroids from the whole herb of *Euphorbia chamaesyce* — 457 R. Tanaka, K. Kasubuchi, S. Kita and S. Matsunaga

A caffeic acid ester from *Halocnemum strobilaceum* — 465 S. Gibbons, K. T. Mathew and A. I. Gray

Gaultherins A and B, two lignans from *Gaultheria yunnanensis* — 469 Z. Zhang, D. Guo, C. Li, J. Zheng, K. Koike, Z. Jia and T. Nikaido

Cyclopeptide alkaloids from the bark of *Waltheria douradinha* — 473 A. F. Morel, I. T. S. Gehrke, M. A. Mostardeiro, E. M. Ethur, N. Zanatta and E. C. S. Machado

Minor N_b,C(21)-secocuran alkaloids of *Strychnos myrtoides* — 479 M.-T. Martin, P. Rasoanaivo, G. Palazzino, C. Galeffi, M. Nicoletti, F. Trigalo and F. Frappier

Book Reviews

Medicinal plants of the world—chemical constituents, traditional and modern medicinal uses — 487 J. D. Phillipson

Natural products isolation — 488 J. B. Harborne

Plant lipid biosynthesis: fundamentals and agricultural applications — 489 J. B. Harborne

Number 4

Graphical Abstracts — vii

Growth and Metabolism

Comparison of nitrogen content amino acid composition and glucosamine content of cell walls of various chlorococcalean algae — 491 J. Burczyk, B. Śmietana, K. Termińska-Pabis, M. Zych and P. Kowalowski

Galactinol in the leaves of the resurrection plant *Boea hygroscopica* — 499 F. Marinone Albini, C. Murelli, P. Vita Finzi, M. Ferrarotti, B. Cantoni, S. Puliga and C. Vazzana

Ecological Biochemistry

Substantial UV-B-mediated induction of essential oils in sweet basil (*Ocimum basilicum* L.) — 507 C. B. Johnson, J. Kirby, G. Naxakis and S. Pearson

Cell Culture and Biotechnology

Formation and secretion of a unique quinone by hairy root cultures of *Lithospermum erythrorhizon* — 511 H. Fukui, A. F. M. F. Hasan and M. Kyo

Chemotaxonomy

Sesquiterpenes from the essential oil of the liverwort *Conocephalum conicum* 517 S. MELCHING and W. A. KÖNIG

Anthocyanins in the "red" flowers of *Petunia exserta* 525 R. J. GRIESBACH, J. R. STEHMANN and F. MEYER

Bioactive Plant Products

Bioactive sesquiterpenes from *Santolina rosmarinifolia* subsp. *Canescens*. A conformational analysis of the germacrane ring 529 A. F. BARRERO, M. M. HERRADOR, J. F. QUILEZ, R. ALVAREZ-MANZANEDA, D. PORTAL, J. A. GAVIN, D. G. GRAVALOS, M. S. J. SIMMONDS and W. M. BLANEY

Coumaroyl triterpenes from *Casuarina equisetifolia* 543 H. TAKAHASHI, M. IUCHI, Y. FUJITA, H. MINAMI and Y. FUKUYAMA

Plant Chemistry

Highly oxygenated bisabolenes and an acetylene from *Matricaria aurea* 551 A. A. AHMED and M. A. ABOU ELELA

Further constituents of *Achillea ageratum* 555 A. KIJJOA, L. M. VIEIRA, J. A. PEREIRA, A. M. S. SILVA and W. HERZ

Dimeric guaianolides from *Daphne oleoides* 559 N. ULLAH, S. AHMED, Z. AHMED, P. MOHAMMAD and A. MALIK

Sesqui- and diterpenoids from *Ptilidium ciliare* and *Barbilophozia* species (liverworts) 563 F. NAGASHIMA, S. TAKAOKA, S. HUNECK and Y. ASAKAWA

Steroidal saponins from the bulbs of *Lilium candidum* 567 Y. MIMAKI, T. SATOU, M. KURODA, Y. SASHIDA and Y. HATAKEYAMA

Non-quassinoid constituents from the twigs and thorns of *Castela polyandra* 575 P. A. GRIECO, J. HADDAD, M. M. PIÑEIRO-NÚÑEZ and J. C. HUFFMAN

Phenylcoumarins from *Kielmeyera elata* 579 R. DA S. GRAMACHO, T. J. NAGEM, T. T. DE OLIVEIRA, M. E. L. R. DE QUEIROZ, A. A. NEVES and N. SADDI

Two anthrones and one oxanthrone from *Picramnia teapensis* 583 T. RODRÍGUEZ-GAMBOA, J. B. FERNANDES, E. RODRIGUES FO, M. FÁTIMA DAS G. F. DA SILVA, P. C. VIEIRA and O. CASTRO C.

Flavanone glycosides from *Alhagi pseudalhagi* 587 V. P. SINGH, B. YADAV and V. B. PANDEY

A flavonol triglycoside from *Chenopodium murale* 591 N. H. EL-SAYED, A. S. AWAAD, M. S. HIFNAWY and T. J. MABRY

Two monoterpene alkaloidal derivatives from *Incarvillea sinensis* 595 M. NAKAMURA, Y.-M. CHI, J. KINJO, W.-M YAN and T. NOHARA

Number 5

Graphical Abstracts vii

Growth and Metabolism

Heterologous expression of furostanol glycoside 26-*O*-β-glucosidase of *Costus speciosus* in *Nicotiana tabacum* 599 K. ICHINOSE, S. YOU, N. KAWANO, K. HAYASHI, X.-S. YAO and Y. EBIZUKA

Ecological Biochemistry

Antifeedants in Cyperaceae: coumaran and quinones from *Cyperus* spp. 605 M. MORIMOTO, Y. FUJII and K. KOMAI

Sequestration and distribution of flavonoids in the common blue butterfly *Polyommatus icarus* reared on *Trifolium repens* 609 U. SCHITTKO, F. BURGHARDT, K. FIEDLER, V. WRAY and P. PROKSCH

Cell Culture and Biotechnology

Biotransformation of *o*- and *p*-aminobenzoic acids and *N*-acetyl *p*-aminobenzoic acid by cell suspension cultures of *Solanum mammosum* 615 A. SYAHRANI, E. RATNASARI, G. INDRAYANTO and A. L. WILKINS

Biotransformation of aromatic aldehydes by five species of marine microalgae 621 I. L. HOOK, S. RYAN and H. SHERIDAN

Accumulation of phthalides in elicitor-treated cell suspension cultures of *Petroselinum crispum* 629 J. HAGEMEIER, O. BATZ, J. SCHMIDT, V. WRAY, K. HAHLBROCK and D. STRACK

Essential oils from hairy root cultures and from plant roots of *Achillea millefolium* 637 P. M. L. Lourenço, A. C. Figueiredo, J. G. Barroso, L. G. Pedro, M. M. Oliveira, S. G. Deans and J. J. C. Scheffer

cis-Clerodandes from axenic cultures of the liverwort *Scapania nemorea* 643 W. Geis, B. Buschauer and H. Becker

Production of ^{13}C-labelled anthocyanins by *Vitis vinifera* cell suspension cultures 651 S. Krisa, P. W. Téguo, A. Decendit, G. Deffieux, J. Vercauteren and J.-M. Mérillon

Chemotaxonomy

Bisezakyne-A and -B, halogenated C_{15} acetogenins from a Japanese *Laurencia* species 657 M. Suzuki, S. Nakano, Y. Takahashi, T. Abe and M. Masuda

Plagiochilines T and U, 2,3-secoaromadendranes from the liverwort *Plagiochila carringtonii* from Scotland 663 D. S. Rycroft, W. J. Cole and Y. M. Lamont

The first report of a withanolide from the family *Labiatae* 669 P. M. Khan, S. Ahmad, H. Rubnawaz and A. Malik

Bioactive Plant Products

Jatrophane diterpenoids from *Euphorbia peplus* 673 J. Hohmann, A. Vasas, G. Günther, G. Dombi, G. Blazsó, G. Falkay, I. Máthé and G. Jerkovich

Plant Chemistry

(+)-Bisabola-2,10-diene[1,9]oxide, a constituent of the liverwort *Calypogeia suecica* 679 U. Warmers, A. Rieck, W. A. König and H. Muhle

Triterpene caffeoyl esters and diterpenes from *Celastrus stephanotifolius* 683 B. Chen, H. Duan and Y. Takaishi

A spirostanol saponin from the underground parts of *Ruscus aculeatus* 689 Y. Mimaki, M. Kuroda, A. Yokosuka and Y. Sashida

Cis- and *trans*-isoshinanolone from *Dioncophyllum thollonii*: absolute configuration of two 'known', wide-spread natural products. 693 G. Bringmann, M. Münchbach, K. Messer, D. Koppler, M. Michel, O. Schupp, M. Wenzel and A. M. Louis

Isopurpurasol, a coumarin from *Pterocaulon virgatum* 701 S. L. Debenedetti, K. A. Tehrani, L. van Puyvelde and N. de Kimpe

Flavonoid glycosides from *Crotalaria podocarpa* 705 C. C. W. Wanjala and R. R. T. Majinda

Anadanthoside: a flavanol-3-*O*-β-d-xylopyranoside from *Anadenanthera macrocarpa* 709 S. Piacente, L. Balderrama, N. de Tommasi, L. Morales, L. Vargas and C. Pizza

Flavonoid glucosides and dicaffeoylquinic acids from flowerheads of *Buphthalmum salicifolium* 713 J. Heilmann, E. Müller and I. Merfort

Book Reviews

Drug Discovery from Nature, edited by S. Grabley and R. Thiericke 719 J. B. Harborne

Sold on Plants, Plant Physiology and University Life in Retrospect, by A. M. Mayer 720 J. B. Harborne

Carotenoids. Volume 3. Biosynthesis and Metabolism, edited by G. Britton, S. Lisaaen-Jensen and H. Pfander 720 J. B. Harborne

Number 6

Graphical Abstracts vii

Growth and Metabolism

Isolation and partial characterisation of galactose-specific lectins from African yam beans, *Sphenostyles stenocarpa* Harms 721 J. S. Machuka, O. G. Okeola, J. M. van Damme Els, M. J. Chrispeels, F. van Leuven and W. J. Peumans

Ecological Biochemistry

Bioactive *N*-isobutylamides from the flower buds of *Spilanthes acmella* 729 R. S. Ramsewak, A. J. Erickson and M. G. Nair

Elicitation of *Platanus* × *acerifolia* cell-suspension cultures induces the synthesis of xanthoarnol, a dihydrofuranocoumarin phytoalexin 733 I. Alami, A. Clérivet, M. Naji, M. Van Munster and J. J. Macheix

Cell Culture and Biotechnology

Biotransformation of the diperpenoid, isosteviol, by *Aspergillus niger*, *Penicillium chrysogenum* and *Rhizopus arrhizus* 737 B. H. DE OLIVEIRA, M. C. DOS SANTOS and P. C. LEAL

Seco-clerodane diterpenoids jamesoniellides H, I and J in axenic cultures of the liverwort *Jamesoniella autumnalis* 743 H. TAZAKI, H. BECKER and K. NABETA

C-Glycosidic ellagitannins from white oak heartwood and callus tissues 751 L. ZHENTIAN, J. JERVIS and R. F. HELM

The hydroxylation of the sesquiterpenoid guaioxide by *Mucor plumbeus* 757 S. F. ARANTES and J. R. HANSON

Microbial transformation of parthenolide 761 A. M. GALAL, A.-R. S. IBRAHIM, J. S. MOSSA and F. S. EL-FERALY

Chemotaxonomy

Iridoid keto-glycosides from *Caryopteris* × *Clandonensis* 767 S. HANNEDOUCHE, I. JACQUEMOND-COLLET, N. FABRE, E. STANISLAS and C. MOULIS

Leaf surface flavonoids of *Chrysothamnus* 771 J. F. STEVENS, E. WOLLENWEBER, M. IVANCIC, V. L. HSU, S. SUNDBERG and M. L. DEINZER

Bioactive Plant Products

Iridoid and *seco*-iridoid glucosides from *Chioccoca alba* (Rubiaceae) 781 C. A. CARBONEZI, D. MARTINS, M. C. M. YOUNG, M. N. LOPES, M. FURLAN, E. RODRIGUES FILHO and V. DA S. BOLZANI

Limonoids from fruit of *Melia toosendan* and their cytotoxic activity 787 K. TADA, M. TAKIDO and S. KITANAKA

Plant Chemistry

Terpenes and lignans from leaves of *Chamaecyparis formosensis* 793 T.-C. LIN, J.-M. FANG and Y.-S. CHENG

Cycloartane glycosides from *Trichosanthes tricuspidata* 803 R. KASAI, A. SASAKI, T. HASHIMOTO, T. KANEKO, K. OHTANI and K. YAMASAKI

12-Deoxy-6,7-dehydroroyleanone, 12-deoxy-6-hydroxy-6,7-dehydroroyleanone and 12-deoxy-7,7-dimethoxy-6-ketoroyleanone from *Salvia nutans* roots 809 G. NAGY, G. GÜNTHER, I. MÁTHÉ, G. BLUNDEN, M.-H. YANG and T. A. CRABB

Labdane dimers from *Xylopia aromatica* 813 D. MARTINS, L. HAMERSKI, S. A. V. ALVARENGA and N. F. ROQUE

Phenethyl alcohol glycosides and isopentenol glycoside from fruit of *Bupleurum falcatum* 819 M. ONO, A. YOSHIDA, Y. ITO and T. NOHARA

Phenylpropanoid glycosides from *Lamiophlomis rotata* 825 J.-H. YI, G.-L. ZHANG, B.-G. LI and Y.-Z. CHEN

An isoflavan-quinone and a flavonol from *Millettia laurentii* 829 P. KAMNAING, S. N. Y. FANSO FREE, A. E. NKENGFACK, G. FOLEFOC and Z. TANEE FOMUM

A flavone dimer from *Ouratea hexasperma* 833 I. C. MOREIRA, M. G. DE CARVALHO, A. B. F. O. BASTOS and R. BRAZ-FILHO

Alkaloids from the stem-bark of *Alstonia macrophylla* 839 T.-S. KAM, I.-H. IEK and Y.-M. CHOO

Book Review

Plant Biochemistry and Molecular Biology, edited by P. J. Len and R. C. Leegood 845 J. L. HARWOOD

Number 7

Graphical Abstracts vii

Growth and Metabolism

Selective inhibition of *HEMA* gene expression by photooxidation in *Arabidopsis thaliana* 847 M. A. KUMAR, S. CHATURVEDI and D. SÖLL

Rapid purification and characterization of cystine lyase b from broccoli inflorescence 853 K. UKAI and J. SEKIYA

Identification of chiro-inositol-containing phospholipids and changes in their metabolism upon salt stress in soybean seedlings 861 Y. HONG and Y. PAK

Ecological Biochemistry

Binding affinities of gallotannin analogs with bovine serum albumin: ramifications for polyphenol-protein molecular recognition — 867 K. S. Feldman, A. Sambandam, S. T. Lemon, R. B. Nicewonger, G. S. Long, D. F. Battaglia, S. M. Ensel and M. A. Laci

Cell Culture and Biotechnology

cis-Fused caryophyllenes from liquid cultures of *Hebeloma longicaudum* — 873 M. Wichlacz, W. A. Ayer, L. S. Trifonov, P. Chakravarty and D. Khasa

A naphthalene glycoside from callus cultures of *Diospyros kaki* — 879 M. Gondo, N. Tanaka, T. Tanaka, K. Shimomura, F. Nakanishi and K. Ishimaru

Bioactive Plant Products

Bioactive acetogenins from the seeds of *Annona atemoya* — 883 F.-R. Chang, J.-L. Chen, C.-Y. Lin, H.-F. Chiu, M.-J. Wu and Y.-C. Wu

Antitumor sterols from the mycelia of *Cordyceps sinensis* — 891 J. W. Bok, L. Lermer, J. Chilton, H. G. Klingeman and G. H. N. Towers

A chromene and prenylated benzoic acid from *Piper aduncum* — 899 D. C. Baldoqui, M. J. Kato, A. J. Cavalheiro, V. da Silva Bolzani, M. C. M. Young and M. Furlan

A saponin with anti-ulcerogenic effect from the flowers of *Spartium junceum* — 903 E. Yeşilada and Y. Takaishi

Plant Chemistry

Iridoids from *Centranthus longiflorus* subsp. *longiflorus* — 909 L. Ö. Demirezer, Z. Güvenalp, H.-J. Schiewe, I. Strietzel, M. Harmandar and A. Zeeck

The absolute configuration of eudesmane-type sesquiterpenoids found in the Japanese liverwort *Chiloscyphus polyanthos* — 913 M. Toyota, T. Saito and Y. Asakawa

Neo-clerodane diterpenoids from *Teucrium polium* — 921 E. Bedir, D. Tasdemir, I. Çalis, O. Zerbe and O. Sticher

Limonoids from *Aphanamixis polystacha* — 927 D. A. Mulholland and N. Naidoo

A furostanol glycoside from rhizomes of *Costus spicatus* — 931 B. P. Da Silva, R. R. Bernardo and J. P. Parente

Isoflavones and coumarins from *Milletia thonningii* — 937 W. A. Asomaning, E. Otoo, O. Akoto, I. V. Oppong, I. Addae-Mensah, R. Waibel and H. Achenbach

Homoisoflavanones from three South African *Scilla* species — 943 N. R. Crouch, V. Bangani and D. A. Mulholland

Homoisoflavanones and stilbenoids from *Scilla nervosa* — 947 V. Bangani, N. R. Crouch and D. A. Mulholland

Xanthones from *Polygala caudata* — 953 W. Li, C.-L. Chan, H.-W. Leung, H.-W. Yeung and P. Xiao

Book Review

The Alkaloids vol. 52, edited by G. A. Cordell — 959 P. J. Houghton

Corrigendum

Flavonoid sulfates from the convolvulaceae — 961 P. Mann, B. Tofern, M. Kaloga and E. Eich

Number 8

Graphical Abstracts — vii

Editorial — xix

Primary Metabolites

Novel brominated lipidic compounds from lichens of Central Asia — 963 T. Řezanka and V. Dembitsky

Tuliposides from *Tulipa sylvestris* and *T. turkestanica* — 969 L. P. Christensen

Terpenoids

Apodophyllone and isotorquatone, two arenic ketones from *Eucalyptus apodophylla* — 975 C. Menut, J. M. Bessiere, A. D. Samate, J. Millogo-Rasolodimby and M. Nacro

Acylated 2-Hydroxythymol 3-*O*-diglycosides from *Melampodium divaricatum* — 979 J. Hüther, C. M. Passreiter, V. Wray and G. Willuhn

(−)-Spirolepechinene, a spirosesquiterpene from *Lepechinia bullata* (Lamiaceae)	987	M. D. Eggers, V. Sinnwell and E. Stahl-Biskup
Eudesmanolides and inositol derivatives from *Taraxacum linearisquameum*	991	C. Zidorn, E. P. Ellmerer-Müller and H. Stuppner
Minor eudesmanolides from *Artemisia canariensis*	995	H. Mansilla and J. A. Palenzuela
Sesquiterpene lactone glycosides from *Lapsana communis* L. subsp. *communis*.	999	D. Fontanel, C. Galtier, J.-C. Debouzy, A. Gueiffier and C. Viel
Abietane diterpenoids from *Clerodendrum mandarinorum*	1005	T. Fan, Z. Min, G. Song, M. Iinuma and T. Tanaka
Spatane diterpenoids from the brown alga *Stoechospermum marginatum* (Dictyotaceae)	1009	S. De Rosa, C. Iodice, M. Khalaghdoust, S. Oryan and A. Rustaiyan
Copaïba oil: isolation and characterization of a new diterpenoid with the dinorlabdane skeleton	1013	H. Monti, N. Tiliacos and R. Faure
Trojanoside H: a cycloartane-type glycoside from the aerial parts of *Astragalus trojanus*	1017	E. Bedir, I. Çalis, R. Aquino, S. Piacente and C. Pizza
Multiflorane triterpenoid esters from pumpkin. An unexpected extrafolic source of PABA	1021	G. Appendino, J. Jakupovic, E. Belloro and A. Marchesini
Solistatin, an aromatic compactin analogue from *Penicillium solitum*	1027	D. Sørensen, T. Ostenfeld Larsen, C. Christophersen, P. H. Nielsen and U. Anthoni
Dammarane triterpenes and pregnane steroids from *Aglaia lawii* and *A. tomentosa*	1031	K. Mohamad, T. Sévenet, V. Dumontet, M. Païs, M. Van Tri, H. Hadi, K. Awang and M.-T. Martin
Rubiginoside, a farnesyl glycoside from *Lepisanthes rubiginosa*	1039	S. A. Adesanya, M.-T. Martin, B. Hill, V. Dumontet, M. Van Tri, T Sévenet and M. Païs
Triterpene saponins from *Alternanthera repens*	1043	R. Sanoko, G. Speranza, C. Pizza and N. De Tommasi
Triterpenoid saponins from *Fagonia indica*	1049	K. H. Shaker, M. Bernhardt, M. H. A. Elgamal and K. Seifert
Triterpenoid saponins from *Vigna angularis*	1055	T. Iida, Y. Yoshiki, K. Okubo, H. Ohrui, J. Kinjo and T. Nohara
Two oleanene glycosides from the aerial parts of *Caltha polypetala*	1059	T. Baykal, E. Bedir, I. Calis, R. Aquino, S. Piacente and C. Pizza
Saponins and polar compounds from *Trifolium resupinatum*	1065	A. M. Simonet, A. Stochmal, W. Oleszek and F. A. Macías
Steroidal saponins from *Asparagus africanus*	1069	A. Debella, E. Haslinger, O. Kunert, G. Michl and D. Abebe
Spirostanol saponins of *Allium porrum* L.	1077	A. Carotenuto, E. Fattorusso, V. Lanzotti and S. Magno
Phenylpropanoids		
Phenylethanoid glycosides from *Prostanthera melissifolia*	1083	W. Kisiel and F. Piozzi
Phenolic glycosides from *Eriosema tuberosum*	1087	W. G. Ma, Y. Fukushi, B. Ducrey, K. Hostettmann and S. Tahara
Trihydroxyphlorethols from the brown alga *Carpophyllum angustifolium*	1095	K.-W. Glombitza and A. Schmidt
Aromatic compounds from the Ecuadorian liverwort *Marchesinia brachiata*: a revision	1101	F. Nagashima, Y. Murakami and Y. Asakawa
Flavonoids		
A dimeric proanthocyanidin from *Stryphnodendron adstringens*	1105	J. C. Palazzo de Mello, F. Petereit and A. Nahrstedt
Hispidulin and nepetin 4′-glucosides from *Cirsium oligophyllum*	1109	T. Iwashina, K. Kamenosono and T. Ueno
Flavonol glycosides from flowers of *Crocus speciosus* and *C. antalyensis*	1113	R. Nørbæk and T. Kondo
Three flavonoids from *Licania heteromorpha*	1121	A. Braca, N. De Tommasi, J. Mendez, I. Morelli and C. Pizza
Three flavonoids from *Licania densiflora*	1125	A. Braca, A. R. Bilia, J. Mendez and I. Morelli

Novel flavonol glycoside from *Retama sphaerocarpa* Boissier 1129 C. Martín-Cordero, M. L. Lázaro, A. Gil-Serrano, M. A. Rodriguez Carvajal and M. J. Ayuso González

Flavonoids from blue flowers of *Nymphaèa caerulea* 1133 T. Fossen, Å. Larsen, B. T. Kiremire and Ø. M. Andersen

Flavonoids from flowers of two *Crocus chrysanthus-biflorus* cultivars: "Eye-catcher" and "Spring Pearl" (Iridaceae) 1139 R. Nørbæk, J. K. Nielsen and T. Kondo

Prenylated isoflavonoids from *Erythrina senegalensis* 1147 W. K. Oh, H. S. Lee, S. C. Ahn, J. S. Ahn, J. T. Mbafor, J. Wandji, Z. T. Fomum, H. K. Chang and Y. H. Kim

Alkaloids

Nobilisitine A and B, two masanane-type alkaloids from *Clivia nobilis* 1151 A. Evidente, A. H. Abou-Donia, F. A. Darwish, M. E. Amer, F. F. Kassem, H. A. M. Hammoda and A. Motta

Coulteroberbinone, a quaternary isoquinoline alkaloid from *Romneya coulteri* 1157 M. Valpuesta, A. Díaz and R. Suau

Alkaloids from *Isopyrum thalictroides* 1161 S. A. Philipov and R. S. Istatkova

Two tetrahydroquinoline alkaloids from *Galipea officinalis* 1167 I. Jacquemond-Collet, S. Hannedouche, N. Fabre, I. Fouraste and C. Moulis

β-Carboline glucoalkaloids from *Strychnos mellodora* 1171 V. Brandt, M. Tits, A. Geerlings, M. Frédérich, J. Penelle, C. Delaude, R. Verpoorte and L. Angenot

Occurrence of loline alkaloids in *Argyreia mollis* (Convolvulaceae) 1177 B. Tofern, M. Kaloga, L. Witte, T. Hartmann and E. Eich

Dipodazine, a diketopiperazine from *Penicillium dipodomyis* 1181 D. Sørensen, T. Ostenfeld Larsen, C. Christophersen, P. H. Nielsen and U. Anthoni

Alkaloids from *Ammocharis tinneana* 1185 A. Machocho, S. C. Chhabra, F. Viladomat, C. Codina and J. Bastida

Erratum

Erratum to "Megastigmane glycosides from seeds of *Trifolium alexandrinum*" [Phytochemistry 50 (1999) 459–862] 1193 K. M. Mohamed, M. H. Mohamed, K. Ohtani, R. Kasai and K. Yamasaki